

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8995	709/229,217,218,219,225.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:21
S2	40	S1 and remote\$2 adj computer\$1 and (target adj computer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:56
S3	8949	remote\$3 with access\$3 and authenticat\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:57
S4	922	S1 and S3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:58
S5	259	S4 and access\$3 adj2 computer	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:58
S6	12	S5 and (allow\$3 adj2 (remote adj computer))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:44
S7	1230	access\$3 adj2 (telephone adj number\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:45
S8	526	S7 and (dial\$3 adj2 (telephone adj number\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:46
S9	100	S8 and ((receiv\$3 and compar\$3) same (telephone adj number))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:52
S10	14	S9 and allow\$3 adj2 access	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 19:00
S11	38	store\$2 adj URL and establish\$3 adj2 connection with URL	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 19:08
S12	22	participat\$3 adj2 (data adj conferenc\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 19:09

S13	4	S12 and access\$3 adj2 application\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 19:11
S14	4	allow\$3 near3 (access\$3 adj2 (application or resource\$2)) and data adj conference	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 19:14
S15	24	allow\$3 near3 (access\$3 adj2 (application or resource\$2)) and data adj conferenc\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/26 19:14
S16	29	URL adj2 (address\$4 adj site)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:12
S17	30	establish\$3 adj2 connection with (URL near3 identif\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:28
S18	1	establish\$3 adj2 connection with (URL near3 identif\$3) and (save or store) adj2 URL	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:29
S19	1	establish\$3 adj2 connection with (URL near3 identif\$3) and ((save or store) adj2 URL)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:30
S20	11	(remote\$3 with access\$3) same (data adj conferenc\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/28 09:54
S21	755	(remote\$3 adj2 computer) same (print adj2 file or document)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:29
S22	40	S21 and printer adj driver	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:31
S23	0	S21 and (without adj install\$3)near3 (printer adj driver)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:32
S24	0	S21 and (without adj install\$3) and (printer adj driver)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:32

S25	49	(without adj install\$3) and (printer adj driver)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:32
S26	0	remote adj access\$3 with application same data adj conference	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/28 09:55
S27	3	remote adj access\$3 with application and data adj conference	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/28 10:00
S28	175	(allow\$3 near2 (remote adj (computer or PC or user))) near2 access\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/28 10:02
S29	2	S28 and data adj conferenc\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/28 10:02
S30	15634	remote\$3 adj2 access	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:05
S31	393	S30 and access\$3 near3 (telephone adj number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:06
S32	906	S30 and (access\$3 or dial\$3) near3 (telephone adj number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:06
S33	195	S32 and (dial\$3 adj2 (telephone adj number)) with (user or (remote adj user))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:07
S34	1130	(receiv\$3 adj2 request) with establish\$3 with connection	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 18:30

S35	1	S34 and store adj2 URL and (use adj2 URL) with establish with connection	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 18:32
S36	1	S34 and store adj2 URL and URL with establish with connection	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 18:32
S37	24	S34 and URL with establish with connection	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 18:32